

IN THE CLAIMS

Please amend the claims as follows:

Claim 1 (Currently Amended): An antireflection film for transfer comprising:

a support,

an antireflection layer on the support, and ~~said antireflection layer comprising a layer or layers, and~~

an adhesive layer on the antireflection layer,

wherein:

the antireflection layer comprises a high refractive index layer comprising at least one of the layers which constitute the antireflection layer is a high refractive index layer containing metal oxide fine particles,

the an adhesive which constitutes the adhesive layer contains a curable component and a cellulose resin, and the high refractive index layer is impregnated with a portion of the adhesive, and

the support is releasable from the antireflection layer.

Claim 2 (Original): The antireflection film for transfer according to claim 1, wherein the cellulose resin includes an ester bond.

Claim 3 (Original): The antireflection film for transfer according to claim 1, wherein the cellulose resin includes an ester bond and the ester is at least one selected from the group consisting of acetate, butyrate, and propionate.

Claim 4 (Original): The antireflection film for transfer according to claim 1, wherein the cellulose resin is cellulose acetate butyrate (CAB) and/or cellulose acetate propionate (CAP).

Claim 5 (Currently Amended): The antireflection film for transfer according to claim 1, wherein the adhesive contains ~~an active energy ray curable~~ a radiation curable adhesive component (A) as the curable component, and the cellulose resin (S) is present in an amount of from 1 to 20 wt% with respect to an amount of the adhesive component (A).

Claim 6 (Currently Amended): The antireflection film for transfer according to claim 1, wherein the metal oxide fine particles contained in the high refractive index layer are surface-treated with a compound having a crosslinkable functional group upon irradiation with a radiation active energy rays.

Claim 7 (Original): The antireflection film for transfer according to claim 6, wherein the crosslinkable functional group of the compound having the crosslinkable functional group is an unsaturated double bond or an epoxy group.

Claim 8 (Currently Amended): An antireflection-treated article comprising an antireflection layer formed on a surface of the article, wherein the antireflection layer is formed by conducting transfer using the antireflection film for transfer according to claim 1 on the surface of which the antireflection layer of the antireflection films for transfer according to claim 1 has been transferred and formed via the adhesive layer.

Claim 9 (Currently Amended): An antireflection film for transfer comprising:
a support,
an antireflection layer comprising a low refractive index layer disposed on the support[[,]] and a high refractive index layer disposed on the low refractive index layer, the high refractive index layer and having a higher refractive index than the refractive index of the low refractive index layer, and
an adhesive layer on the antireflection layer,

wherein:

the high refractive index layer comprises ~~contains~~ metal oxide fine particles,
~~the~~ an adhesive which constitutes the adhesive layer contains a curable component
and a cellulose resin, and the high refractive index layer is impregnated with a portion of the
adhesive, and

the support is releasable from the antireflection layer.

Claim 10 (Original): The antireflection film for transfer according to claim 9,
wherein the cellulose resin includes an ester bond.

Claim 11 (Original): The antireflection film for transfer according to claim 9,
wherein the cellulose resin includes an ester bond and the ester is at least one selected from
the group consisting of acetate, butyrate, and propionate.

Claim 12 (Original): The antireflection film for transfer according to claim 9,
wherein the cellulose resin is cellulose acetate butyrate (CAB) and/or cellulose acetate
propionate (CAP).

Claim 13 (Currently Amended): The antireflection film for transfer according to
claim 9, wherein the adhesive contains ~~an active energy ray curable~~ radiation curable
adhesive component (A) as the curable component, and the cellulose resin (S) is present in an
amount of from 1 to 20 wt% with respect to an amount of the adhesive component (A).

Claim 14 (Currently Amended): The antireflection film for transfer according to
claim 9, wherein the metal oxide fine particles contained in the high refractive index layer are
surface-treated with a compound having a crosslinkable functional group upon irradiation
with a radiation active energy rays.

Claim 15 (Original): The antireflection film for transfer according to claim 14, wherein the crosslinkable functional group of the compound having the crosslinkable functional group is an unsaturated double bond or an epoxy group.

Claim 16 (Currently Amended): An antireflection-treated article comprising an antireflection layer formed on a surface of the article, wherein the antireflection layer is formed by conducting transfer using the antireflection film for transfer according to claim 9 on the surface of which the antireflection layer of the antireflection films for transfer according to claim 9 has been transferred and formed via the adhesive layer.

BASIS FOR THE AMENDMENT

Claims 1-16 are active in the present application. Claims 1, 5-6, 8-9, 13-14 and 16 are amended to correct matters of form and for clarity.

No new matter is added.